

CONCENTRATED ENERGY.



Racinbatt



Racinbatt
SAFT

SALT
SUPER
Ni-Co

pacinbatt



GROUPE
C | G | E

THERE'S A SUPER, ENERGY OR POWER **Rac**

SAFT, THE EUROPEAN LEADER IN NICKEL-CADMIUM BATTERIES, NOW OFFERS ITS EXPERTISE AND EXPERIENCE TO SCALE MODEL ENTHUSIASTS, THANKS TO:

SUPER **Racinbatt**

The best performance-price ratio

- High performance.
- Long cycle life: more than 500 duty cycles.
- Optional accelerated or high-rate charging.

Product line specifications:

- Minimum capacity: 1,2 Ah.
- Peak load current: 77 A.
- Internal resistance: 6 mΩ.

ENERGY **Racinbatt**

The long ride

- Higher energy concentration and longer service life (+ 15%).
- Long cycle life: 500 to 1000 duty cycles.
- Perfectly suited to accelerate or high-rate charging.

Product line specifications:

- Minimum capacity: 1,4 Ah.
- Peak load current: 80 A.
- Internal resistance: 5 mΩ.

POWER **Racinbatt**

The fast ride

- More discharge power.
- Long cycle life: 500 to 1000 duty cycles.
- Special rapid-charge design (charges in less than 1 hour).

Product line specifications:

- Minimum capacity: 1,2 Ah.
- Peak load current: 92 A.
- Internal resistance: 4,8 mΩ.

Racìnbatt TO COPE WITH ANY SITUATION.


- Its complete mastery of sintered electrode NICKEL-CADMIUM battery technology, providing the highest concentration of energy in NICKEL-CADMIUM.

- Its mechanical engineering know-how, ensuring ruggedness, impact strength and overall integrity for its products under the most severe operating conditions.


- Its familiarity with model enthusiasts' special needs, which allowed it to produce batteries meeting such requirements as:

- rapid charging,
- high-rate discharge,
- extreme temperature operation: -40°C to $+60^{\circ}\text{C}$.


ACCELERATED CHARGE




RAPID DISCHARGE




ACCELERATED CHARGE




RAPID DISCHARGE



RAPID CHARGE




ULTRA-FAST DISCHARGE



SAFT *Racìnbatt*




EXCLUSIVE RANGE OF OVER 60 MODELS.



EXCLUSIVE

All our models
feature hi-flex
silicone leads.

OPTIONS.



SAFETY TIPS:

- Do not short circuit.
- Do not incinerate.
- Do not place near a source of heat.
- Never take battery apart or modify.
- Do not directly solder. Spot weld only.
- Never mix new and used Ni-Cd cells.
- Keep out of reach of children.

INSTRUCTION BOOKLET:

To get the most out of your batteries, ask your dealer for our user's instruction booklet.

THE DATA HEREIN IS SUBJECT TO MODIFICATION WITHOUT NOTICE AND SHOULD NOT BE CONSTRUED AS BINDING WITHOUT CONFIRMATION.

SAFT
STORAGE BATTERY
DIVISION

COMM. 05-87-1504-2

SAFT

SAFT BATTERIES LIMITED

200 Middlefield Road, Scarborough, Ontario M1S 4M6
TEL. (416) 298-7322 ONT. & QUE. 1-800-268-5610
TELEX 065-26167 TELEFAX (416) 298-7538